



Mfgrs. of: 7" & 10" Semi Hydraulic High Speed Horizontal Metal Cutting Bandsaw Machine.





SPECIAL FEATURES

- Cuts Round Bars, Square, Flats, Pipes, Angles, Channels.
- Cuts various types of materials like.
 Mild Steel, Alloy Steel, Stainless Steel, Brass, Copper, Alluminium, etc.
- Efficient Clamping Vice.
- Precise & Easy Feed Control.
- Fast & Smooth Cutting.
- Bi-Metal Cutting Blade has Optimum Working Capacity.
- Each & every part of the machine is easily reparable & replaceable.

TECHNICAL SPECIFICATION		
Model	DI-175 / DI-175 S.A.	
Cutting Capacity Round Bar (mm)	- 175	
Square (mm)	160 x 160	
Blade Size (mm)	27 x 0.9 x 2515	
Motor Power	1 HP / 1440 RPM	
Coolant Pump Power	0.15 HP / 2800 RPM	
Blade Speed Min/Mtr	32 / 42	
Net Weight	210 Kg.	
Overall Dimension	1150 x 500 x 1400 L W H	

DI-175 S.A. Semi Auto







TECHNICAL SPECIFICATION		
Model	DI - 250 S.A.	
Cutting Capacity Round Bar (mm)	- 250	
Square (mm)	220 x 220	
Blade Size (mm)	27 x 0.9 x 3200	
Motor Power	0.85 HP / 960 RPM	
Coolant Pump Power	0.15 HP / 2800 RPM	
Blade Speed Min/Mtr	32 / 44 / 56	
Net Weight	340 Kg.	
Overall Dimension	1500 x 825 x 1600 L W H	

SPECIAL FEATURES

- Cuts Round Bars, Square, Flats, Pipes, Angles, Channels.
- Cuts various types of materials like Mild Steel, Alloy Steel, Stainless Steel, Brass, Copper, Alluminium, etc.
- Efficient Clamping Vice.
- Precise & Easy Feed Control.
- Fast & Smooth Cutting.
- Bi-Metal Cutting Blade has Optimum Working Capacity.
- Each & every part of the machine is easily reparable & replaceable.











TECHNICAL SPECIFICATION

Model	DI-175 F.A.
Cutting Capacity	-
Round Bar (mm)	130
Square	-
Bunch Cutting (mm)	125 x 125
Flats (Lamb chores)	125 x 175
Blade Size (mm)	27 x 0.9 x 2515
Motor Power	1 HP / 1440 RPM
Coolant Pump Power	0.15 HP / 2800 RPM
Blade Speed Min/Mtr	32 / 42
Net Weight	335 Kg.
Overall Dimension	1250 x 1500 x 1600 L W H

SPECIAL FEATURES

- Cuts Round Bars, Square, Flats, Pipes, Angles, Channels.
- Cuts various types of materials like Mild Steel, Alloy Steel, Stainless Steel, Brass, Copper, Alluminium, etc.
- Efficient Clamping Vice.
- Precise & Easy Feed Control.
- Fast & Smooth Cutting.
- Bi-Metal Cutting Blade has Optimum Working Capacity.
- Each & every part of the machine is easily reparable & replaceable.

